

ROCKWOOD

Roo, MiniLite, Ultra Lite, and
Signature Travel Trailers

PROVIDING OUTDOOR FUN SINCE 1974



OVER 45 YEARS OF EXCELLENCE

Founded in 1974 on the principle of providing superior value and service while remaining in tune with customer preferences, Rockwood has become the ultimate luxury product in the light weight travel trailer market, proudly showcasing more innovative floor plans, appealing features and refined interior appointments than any others in its class.

**ROCKWOOD REMAINS COMMITTED
TO ENSURING CUSTOMERS ENJOY
THEIR CAMPING EXPERIENCES**

Rockwood aims to provide customers with the best built product possible at an unmatched value through the utilization of an experienced work force, state-of-the-art lamination facility, modern production plants, and detailed assembly processes.





Rockwood has emerged as an industry leader in the manufacturing of light weight travel trailers, fifth wheels, and tent campers by focusing on superior build quality and developing a tight-knit workforce.



Stone & Autumn Wood

MiniLite
2511S



Newport Ash

Signature
8336BH

Shown with optional King Bed

Interior Options


FABRICS

Bayport Driftwood



Sofa, Chairs,
Dinette Cushions

Chocolate
Orsino Pearl




Valances

Hubbard Flax




Bedroom

Idlewild Taupe



Sofa, Chairs,
Dinette Cushions

Stone (N/A Roo)
Orsino Pearl



Valances

Hubbard Flax



Bedroom

CABINETS & FLOORING

Standard Package

Autumn Wood (N/A Roo)



Cabinets



Floor Covering




Carpet

Optional Package


Newport Ash



Cabinets



Floor Covering



Carpet

Slide-out Options



Hide-A-Bed

Size	Model	Floorplans		
67"	MiniLite	2104S	2506S	2511S
		2204S	2507S	2513S
		2205S	2509S	2516S
60"	Ultra Lite	2614BS	2706WS	2911BS
67"	Ultra Lite	2606WS	2608BS	2720IK
		2912BS		



Theater Seat

Size	Model	Floorplans	
60"	Roo	21SS	235S
67"	MiniLite	2104S	2204S
		2507S	2509S

Table and Chairs

Model	Floorplans			
Ultra Lite	2606WS	2608BS	2614BS	2706WS
	2720IK	2906BS	2911BS	2912BS
Signature	8332SB	8336BH	8337RL	



Booth Dinette

Model	Floorplans		
MiniLite	2205S	2511S	2513S



MONITOR YOUR RV FROM YOUR MOBILE DEVICE!

Your RV is equipped with Lippert™ One Control®. This WiFi app-based interface provides comfort and convenience to control and monitor your RV's functions.

With the WeRV app you can control your lights, slides and awning from your fingertips.

For a complete list of control capabilities, please visit lippert.com/onecontrol

Whenever, wherever we make your experience better.



Download the WeRV App Today!



Apple and App Store are registered trademarks of Apple Inc. Google Play and the Google Play logo are trademarks of Google LLC.






Stone & Newport Ash 235S



Newport Ash 235S



Newport Ash 235S

Roo

A VALUE THAT'LL MAKE YOU JUMP!

We have a trailer just for you. Whether you are interested in the expanded interior space provided by the spacious fold out beds with heated mattresses or the feel of a traditional trailer, the Rockwood Roo will deliver the quality and amenities you expect. Rockwood brings the necessities of residential living on the campsite.



Roof Construction



SUPERIOR CONSTRUCTION

- 1 Complete **Azdel** Wall Construction
- 2 5/8" Tongue & Groove Plywood Floor
- 3 Fully Laminated Walkable Roof
- 4 6-Sided Full-Aluminum Frame
- 5 Aluminum Floor Joists
- 6 Frameless Windows
- 7 Aluminum Truss Roof Bracing
- 8 Easy Reach Lockable Latch System



STANDARD FEATURES

- 9 200W Solar Panel with 1000W Inverter & 30 AMP Charge Controller
- 10 Back-Up Camera Prep
- 11 (2) Maxxair Fans with Cover
- 12 Teton All-In-One WiFi Prep/Antenna
- 13 Key-Alike Lock System
- 14 Additional Solar Prep
- 15 Double Battery Boxes
- 16 Double 20 Lb. LP Tanks
- 17 5-Year Tent Warranty



SAFETY STANDARDS


- 18 Dexter Torsion Axles
- 19 TST Tire Pressure Monitor System
- 20 Goodyear Endurance Tires
- 21 MORryde Strut Assist Steps¹

¹ N/A 19/183/233S



CLIMATE PROTECTION PACKAGE


- 22 12V Thermostat-Controlled Heated Tanks
- 23 Radiant Foil Insulated Underbelly





Stone & Newport Ash

235S




183

LENGTH: 21' 2" OPEN LENGTH: 25' 7" WIDTH: 8' HEIGHT: 10' 6"

HITCH: 450 AXLE: 3771 UVV: 4259 CCC: 1471

EXPANDABLE

F 54 GAL G 30 GAL B 30 GAL




19

LENGTH: 22' OPEN LENGTH: 26' 5" WIDTH: 8' HEIGHT: 10' 6"

HITCH: 434 AXLE: 3826 UVV: 4298 CCC: 1416

EXPANDABLE

F 54 GAL G 30 GAL B 30 GAL




21SS

LENGTH: 22' 10" OPEN LENGTH: 27' 2" WIDTH: 8' HEIGHT: 10' 11"

HITCH: 548 AXLE: 4461 UVV: 5047 CCC: 1501

EXPANDABLE

F 54 GAL G 30 GAL B 30 GAL




233S

LENGTH: 24' 10" OPEN LENGTH: 29' 7" WIDTH: 8' HEIGHT: 10' 6"

HITCH: 652 AXLE: 4421 UVV: 5111 CCC: 1541

EXPANDABLE

F 54 GAL G 30 GAL B 30 GAL



235S

LENGTH: 24' 10" OPEN LENGTH: 29' 7" WIDTH: 8' HEIGHT: 10' 11"


HITCH: 738 AXLE: 4863 UVV: 5639 CCC: 1259

EXPANDABLE

F 54 GAL G 30 GAL B 30 GAL



Stone & Newport Ash 2507S



Autumn Wood 2511S



Stone & Autumn Wood 2511S

MiniLite

BRINGING THE POWER PACKAGE TO THE BRAND YOU KNOW AND LOVE!

When towing size and weight are your focus, you will find that these specially designed Mini Lite models offer flexible floor plans that provide you with more comfort and amenities than you would expect—now with the Power package available on select models.



MiniLite Construction



SUPERIOR CONSTRUCTION

- 1 Complete **Azdel** Wall Construction
- 2 5/8" Tongue & Groove Plywood Floor
- 3 Fully Laminated Walkable Roof
- 4 6-Sided Full-Aluminum Frame
- 5 Aluminum Floor Joists
- 6 Frameless Windows
- 7 Aluminum Truss Roof Bracing
- 8 Painted Fiberglass Front Cap with Clear Coat
- 9 Automotive Glass Windshield

Optional Features

- 24 PSX2 Power Stabilizers *(Not Pictured)*



STANDARD FEATURES

- 10 Key-Alike Lock System
- 11 200W Solar Panel with 1000W Inverter & 30 AMP Charge Controller
- 12 Back-Up Camera Prep
- 13 Maxxair Fan with Cover
- 14 Teton All-In-One WiFi Prep/Antenna
- 15 Additional Solar Prep
- 16 Double Battery Boxes
- 17 Double 30 Lb. LP Tanks



SAFETY STANDARDS


- 18 MORryde Strut Assist Steps¹
- 19 TST Tire Pressure Monitor System
- 20 Dexter Torsion Axles
- 21 Goodyear Endurance Tires


¹ N/A 2109S



CLIMATE PROTECTION PACKAGE

- 22 12V Thermostat-Controlled Heated Tanks
- 23 Radiant Foil In Front Cap, Underbelly & Flush Floor Slides






2104S

LENGTH: 22' 4" WIDTH: 8' HEIGHT: 10' 11" HITCH: 681 AXLE: 4237

MURPHY BED

UVW: 4977 CCC: 1864 **F** 54 GAL **G** 30 GAL **B** 30 GAL



2109S

LENGTH: 22' 4" WIDTH: 8' HEIGHT: 10' 3" HITCH: 557 AXLE: 3877

FRONT BED

UVW: 4493 CCC: 1344 **F** 54 GAL **G** 30 GAL **B** 30 GAL




2204S

LENGTH: 23' 11" WIDTH: 8' HEIGHT: 10' 11" HITCH: 720 AXLE: 4196

TWIN BED

UVW: 4975 CCC: 1905 **F** 54 GAL **G** 30 GAL **B** 30 GAL



2205S

LENGTH: 23' 10" WIDTH: 8' HEIGHT: 10' 11" HITCH: 634 AXLE: 4439

FRONT BED

UVW: 5132 CCC: 1662 **F** 54 GAL **G** 30 GAL **B** 30 GAL




2506S

LENGTH: 25' 11" WIDTH: 8' HEIGHT: 10' 11" HITCH: 814 AXLE: 4655

FRONT KITCHEN

UVW: 5528 CCC: 1446 **F** 54 GAL **G** 60 GAL **B** 30 GAL



2507S

LENGTH: 25' 10" WIDTH: 8' HEIGHT: 10' 11" HITCH: 590 AXLE: 5105

MURPHY BED

UVW: 5754 CCC: 1836 **F** 54 GAL **G** 30 GAL **B** 30 GAL

NEW FOR 2023!

OFF-GRID OPTIONS

POWER

PACKAGE

OFF-GRID OPTIONS




2205S



2509S

ONLY AVAILABLE ON




2509S

LENGTH: 25' 11" WIDTH: 8' HEIGHT: 10' 11" HITCH: 773 AXLE: 4667

BUNK HOUSE

UVW: 5499 CCC: 1434 **F** 54 GAL **G** 30 GAL **B** 30 GAL




2511S

LENGTH: 25' 10" WIDTH: 8' HEIGHT: 10' 11" HITCH: 824 AXLE: 4865

FRONT BED

UVW: 5748 CCC: 1236 **F** 54 GAL **G** 60 GAL **B** 30 GAL



2513S

LENGTH: 25' 10" WIDTH: 8' HEIGHT: 10' 11" HITCH: 660 AXLE: 5252

FRONT BED

UVW: 5971 CCC: 1689 **F** 54 GAL **G** 30 GAL **B** 30 GAL



2516S

LENGTH: 25' 11" WIDTH: 8' HEIGHT: 10' 11" HITCH: 772 AXLE: 5218

FRONT KITCHEN

UVW: 6049 CCC: 1723 **F** 54 GAL **G** 60 GAL **B** 30 GAL



Stone & Autumn Wood 2608BS



Newport Ash 2608BS



Autumn Wood 2608BS



Chocolate & Newport Ash 2608BS

Ultra Lite

YOU'LL LOVE WHAT YOU FIND IN OUR FLOOR PLANS.

Our trailers are packed full of quality features in order to bring to you one of the best values in the light weight market. There are spacious flush floor slides, comfortable stylish sofas and wide dinettes. Our Ultra Lite series offers lots of room and amenities while still being a 1/2 ton towable Travel Trailer.



Ultra Lite Construction



SUPERIOR CONSTRUCTION

- 1 Fully Laminated Walkable Roof
- 2 6-Sided Full-Aluminum Frame
- 3 Aluminum Truss Roof Bracing
- 4 5/8" Tongue & Groove Plywood Floor
- 5 Aluminum Floor Joists
- 6 Frameless Windows
- 7 Painted Fiberglass Front Cap with Clear Coat
- 8 Automotive Glass Windshield



STANDARD FEATURES

- 9 200W Solar Panel with 1000W Inverter & 30 AMP Charge Controller
- 10 Back-Up Camera Prep
- 11 Maxxair Fan with Cover
- 12 Teton All-In-One WiFi Prep/Antenna
- 13 Key-Alike Lock System
- 14 Additional Solar Prep
- 15 PSX2 Power Stabilizers
- 16 Double Battery Boxes
- 17 Double 30 Lb. LP Tanks




SAFETY STANDARDS


- 18 TST Tire Pressure Monitor System
- 19 Goodyear Endurance Tires
- 20 Dexter Torsion Axles
- 21 MORryde Strut Assist Steps



CLIMATE PROTECTION PACKAGE

- 22 12V Thermostat-Controlled Heated Tanks
- 23 Radiant Foil In Underbelly, Front Cap & Flush Floor Slides






2606WS

FRONT BED

LENGTH: 29' 9" WIDTH: 8' HEIGHT: 11' 2" HITCH: 908 AXLE: 5191

UVW: 6158 CCC: 2550 **F** 54 GAL **G** 90 GAL **B** 45 GAL




2608BS

FRONT KITCHEN

LENGTH: 29' 8" WIDTH: 8' HEIGHT: 11' 2" HITCH: 946 AXLE: 5831

UVW: 6836 CCC: 1910 **F** 54 GAL **G** 90 GAL **B** 45 GAL




2614BS

REAR KITCHEN

LENGTH: 29' 9" WIDTH: 8' HEIGHT: 11' 2" HITCH: 796 AXLE: 6133

UVW: 6988 CCC: 1608 **F** 54 GAL **G** 90 GAL **B** 45 GAL




2706WS

BUNK HOUSE

LENGTH: 32' 10" WIDTH: 8' HEIGHT: 11' 2" HITCH: 921 AXLE: 6330

UVW: 7310 CCC: 1411 **F** 54 GAL **G** 90 GAL **B** 45 GAL



2720IK

REAR KITCHEN

LENGTH: 33' 1" WIDTH: 8' HEIGHT: 11' 3" HITCH: 1035 AXLE: 7230

UVW: 8324 CCC: 1511 **F** 54 GAL **G** 90 GAL **B** 45 GAL



2906BS

REAR LIVING

LENGTH: 35' 5" WIDTH: 8' HEIGHT: 11' 3" HITCH: 1100 AXLE: 7400


UVW: 8559 CCC: 1341 **F** 54 GAL **G** 45 GAL **B** 45 GAL



Stone & Autumn Wood 2608BS




Chocolate & Newport Ash 2608BS



Autumn Wood 2608BS



Chocolate & Newport Ash 2608BS




2911BS

BUNK HOUSE

LENGTH: 35' 5" WIDTH: 8' HEIGHT: 11' 2" HITCH: 1038 AXLE: 6508

UVW: 7605 CCC: 2233 **F** 54 GAL **G** 45 GAL **B** 45 GAL



2912BS

FRONT BED

LENGTH: 35' 2" WIDTH: 8' HEIGHT: 11' 2" HITCH: 952 AXLE: 6843

UVW: 7854 CCC: 1898 **F** 54 GAL **G** 90 GAL **B** 45 GAL



Stone & Newport Ash 8336BH



Newport Ash 8336BH



Stone & Newport Ash 8337RL



Stone & Autumn Wood 8332SB

Signature

BEAUTIFUL SPACIOUS INTERIORS COME STANDARD.

The Signature series has many outstanding features to enhance your camping experience. The open floorplans and generous storage space allows extra room for those extra things you want to bring along. Sleeping on the comfortable bed, you'll forget you were in the great outdoors. The spacious interior and picturesque view through the many windows enable you to experience your surroundings in the comfort of your Signature travel trailer.



Signature Construction




SUPERIOR CONSTRUCTION

- 1 Complete **Azdel** Wall Construction
- 2 Fully Laminated Walkable Roof
- 3 6-Sided Full-Aluminum Frame
- 4 Aluminum Truss Roof Bracing
- 5 5/8" Tongue & Groove Plywood Floor
- 6 Aluminum Floor Joists
- 7 Frameless Windows
- 8 Painted Fiberglass Front Cap with Clear Coat
- 9 Automotive Glass Windshield¹

¹ N/A 8332SB

Optional Features

- 25 Auto-Leveling *(Not Pictured)*



STANDARD FEATURES

- 10 200W Solar Panel with 1000W Inverter & 30 AMP Charge Controller¹
- 11 Back-Up Camera Prep
- 12 Maxxair Fan with Cover
- 13 Teton All-In-One WiFi Prep/Antenna
- 14 Key-Alike Lock System
- 15 Additional Solar Prep
- 16 PSX2 Power Stabilizers
- 17 Double Battery Boxes
- 18 Double 30 Lb. LP Tanks

¹ 8332SB comes standard with an 1800W inverter



SAFETY STANDARDS

- 19 TST Tire Pressure Monitor System
- 20 Goodyear Endurance Tires
- 21 Dexter Torsion Axles
- 22 MORryde Strut Assist Steps



CLIMATE PROTECTION PACKAGE

- 23 12V Thermostat-Controlled Heated Tanks
- 24 Radiant Foil In Underbelly, Front Cap & Slides




8262RBS

LENGTH: 29' 11" WIDTH: 8' HEIGHT: 11' 7" HITCH: 1070 AXLE: 6580

SUITE SERIES

UVW: 7709 CCC: 2161 **F** 54 GAL **G** 70 GAL **B** 40 GAL



8263MBR

LENGTH: 29' 11" WIDTH: 8' HEIGHT: 11' 7" HITCH: 1065 AXLE: 6685

SUITE SERIES

UVW: 7809 CCC: 2056 **F** 54 GAL **G** 80 GAL **B** 40 GAL




8264BHS

LENGTH: 29' 11" WIDTH: 8' HEIGHT: 11' 7" HITCH: TBD AXLE: TBD

SUITE SERIES

UVW: TBD CCC: TBD **F** 54 GAL **G** 90 GAL **B** 50 GAL




8332SB

LENGTH: 36' 8" WIDTH: 8' HEIGHT: 11' 7" HITCH: 1130 AXLE: 8255

REAR KITCHEN

UVW: 9444 CCC: 1686 **F** 54 GAL **G** 110 GAL **B** 50 GAL



8336BH

LENGTH: 36' 8" WIDTH: 8' HEIGHT: 11' 7" HITCH: 1320 AXLE: 8290

BUNK HOUSE

UVW: 9669 CCC: 1651 **F** 54 GAL **G** 130 GAL **B** 50 GAL



8337RL

LENGTH: 36' 8" WIDTH: 8' HEIGHT: 11' 7" HITCH: 1315 AXLE: 7835

REAR LIVING

UVW: 9209 CCC: 2106 **F** 54 GAL **G** 120 GAL **B** 50 GAL

Look for our other popular lines of Rockwood trailers.



ROCKWOOD FIFTH WHEELS



ROCKWOOD GEO PROS



ROCKWOOD TENT CAMPERS



Learn More
Scan this barcode using
a QR Reader on your
smart phone to learn
more about Forest River.



A Berkshire Hathaway company

201 WEST ELM MILLERSBURG, IN 46543
WWW.FORESTRIVERINC.COM/ROCKWOOD
574.642.2640

YOUR **ROCKWOOD** DEALER:

Rockwood Warranty. Our Promise.

FOR DETAILS ON ROCKWOOD'S COMPLETE WARRANTY PROGRAM, SEE YOUR ROCKWOOD DEALER.

When it comes to backing products with the same quality and commitment it does when it begins the manufacturing process, the only name you have to remember when you're looking for a recreational vehicle is Rockwood. Rockwood offers the following additional limited warranties to the original purchasers. Consult written warranty for details.

1 Eighteen-year roofing warranty

2 Two-year fiberglass warranty.

3 Ten-year Torflex® axle warranty.

4 One-year bumper to bumper warranty.



24/7 EMERGENCY ROADSIDE ASSISTANCE WITH VEHICLE PURCHASE*

TOWING
JUMP-STARTS
TIRE CHANGES
FLUID DELIVERY
LOCKOUT
SERVICE

WINCH-OUT
MOBILE MECHANIC
TECHNICAL
SUPPORT
DEALER LOCATOR
SERVICES



*VALID FOR 1 YEAR FROM DATE OF PURCHASE



PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This state-of-the-art facility gives immediate daily feedback to production for quality assurance in every unit built.

FREE MEMBERSHIP
to Forest River Owners' Group

www.forestriverfrog.com



FOLLOW THE JOURNEY



@RockwoodRvs

CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

Specification Definitions

GVWR (Gross Vehicle Weight Rating): is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GVWR. **GAWR (Gross Axle Weight Rating):** is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by a combination of all axles. **UVW (Unloaded Vehicle Weight):**¹ is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories. **CCC (Cargo Carrying Capacity):** is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 IWW per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity. Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision.

¹ Estimated Average based on standard build optional equipment